

[Home](#) [x](#) [Install](#) [x](#) [Full Index](#) [x](#) [Tutorial](#) [x](#) [EnumerateControls](#) [x](#) [FindOutTableExists](#) [x](#) [UseVariablesInSQL](#) [x](#) [CreateRecordsetFrom](#) [x](#) [AddRecordToRecordset](#) [x](#) [CountRecordsRecordset](#) [x](#) [LimitsRecordset](#) [x](#) [MixAccess2baseAndUNO](#) [!](#) [User's Guide](#) [x](#) [AllForms](#) [x](#) [DatabaseWindow](#) [x](#) [ShortcutNotationMore](#) [x](#) [DLookupSamples](#) [x](#) [CalculatedField](#) [x](#) [MultiSelectListBoxSelectForm](#) [x](#) [FillAutoControlValue](#) [x](#) [CarryToNewRecord](#) [x](#) [BrowseThruControls](#) [x](#) [TipTextForLongValues](#) [x](#) [AskBeforeSaving](#) [x](#) [Sync2Combos](#) [x](#) [ZoomOnImage](#) [x](#) [AddAllToBox](#) [x](#) [KeepFormsSynchro](#) [x](#) [SelectListBoxOnFirstLetters](#) [x](#) [MoveItemsBetweenListboxes](#) [x](#) [SimulateTabbed](#) [x](#) [SearchStandalone](#) [x](#) [CalculatorDialog](#) [x](#) [ExploreTables](#) [x](#) [ExtractDataTable](#) [x](#) [FindPositionRecordset](#) [x](#) [DMedian function](#) [x](#) [DPercentile](#) [x](#) [ImportImages](#) [x](#) [ExportImages](#) [x](#) [CrossTabQuery](#) [x](#) [DbaccessFromCalc](#) [x](#) [Standalone Forms](#) [x](#) [Add](#) [x](#) [AddItem](#) [x](#) [AddNew](#) [x](#) [CancelUpdate](#) [x](#) [Clone](#) [x](#) [Close \(method\)](#) [x](#) [CloseAllRecordsets](#) [x](#) [CloseConnection](#) [x](#) [CreateField](#) [x](#) [CreateQueryDef](#) [x](#) [CreateTableDef](#) [x](#) [CurrentDb](#) [x](#) [Delete](#) [x](#) [Delete \(table-query\)](#) [x](#) [Edit](#) [x](#) [EndExecute](#) [x](#) [Execute \(commandbarcontrol\)](#) [x](#) [Execute \(dialog\)](#) [x](#) [Execute \(query\)](#) [x](#) [getProperty](#) [x](#) [GetRows](#) [x](#) [hasProperty](#) [x](#) [Move](#) [x](#) [Move \(recordset\)](#) [x](#) [OpenConnection](#) [x](#) [OpenDatabase](#) [x](#) [OpenRecordset](#) [x](#) [OptionGroup \(Method\)](#) [x](#) [ReadAllBytes](#) [x](#) [ReadAllText](#) [x](#) [Refresh](#) [x](#) [Remove](#) [x](#) [RemoveAll](#) [x](#)

## RemoveAll

Erases all **tempvar** objects from the **TempVars** collection.

tags:  
Methods

### Applies to ...

Object	Description
<b>TempVars</b>	The set of temporary variables.

### Syntax

```
[Application.]TempVars().RemoveAll()
```

### Remarks

By default, a *TempVar* object remains in memory until LibO/AOO is closed. You can use the *RemoveAll* method to remove all *TempVar* objects at once.

### Error Messages

Method 'Collection.RemoveAll' not applicable in this context

### See also

[Add](#)

[Remove](#)

[TempVar](#)

[TempVars](#)

### Example

Set, get and remove temporary variables, enumerate their values

```
Dim oVars As Object, i As Integer
Set oVars = TempVars()
oVars.RemoveAll() ' Empty the collection
oVars.Add("First",12345)
oVars.Add("Second","anything")
oVars.Add("Third","else")
oVars.Remove("SECOND")
oVars.item("ThiRD").Value = "other value"
oVars.add("Fourth","somethinG")
print oVars.count,
print getValue("Tempvars!fourth"),
for i = 0 to oVars.count - 1
    print oVars.item(i).value,
```

next i

Bookmark this page » » [RemoveAll](#)