

[Home](#) x [Install](#) x [Full Index](#) x [Tutorial](#) x [EnumerateControls](#) x [FindOutTableExists](#) x [UseVariablesInSQL](#) x [CreateRecordsetFrom](#) x [AddRecordToRecordset](#) x [CountRecordsRecordset](#) x [LimitsRecordset](#) x [MixAccess2baseAndUNO](#) ! [User's Guide](#) x [AllForms](#) x [DatabaseWindow](#) x [ShortcutNotationMore](#) x [DLookupSamples](#) x [CalculatedField](#) x [MultiSelectListBoxSelectForm](#) x [FillAutoControlValue](#) x [CarryToNewRecord](#) x [BrowseThruControls](#) x [TipTextForLongValues](#) x [AskBeforeSaving](#) x [Sync2Combos](#) x [ZoomOnImage](#) x [AddAllToBox](#) x [KeepFormsSynchro](#) x [SelectListBoxOnFirstLetters](#) x [MoveItemsBetweenListboxes](#) x [SimulateTabbed](#) x [SearchStandalone](#) x [CalculatorDialog](#) x [ExploreTables](#) x [ExtractDataTable](#) x [FindPositionRecordset](#) x [DMedian function](#) x [DPercentile](#) x [ImportImages](#) x [ExportImages](#) x [CrossTabQuery](#) x [DbaccessFromCalc](#) x [Standalone Forms](#) x [Add](#) x [AddItem](#) x [AddNew](#) x [CancelUpdate](#) x [Clone](#) x [Close \(method\)](#) x [CloseAllRecordsets](#) x [CloseConnection](#) x [CreateField](#) x [CreateQueryDef](#) x [CreateTableDef](#) x [CurrentDb](#) x [Delete](#) x [Delete \(table-query\)](#) x [Edit](#) x [EndExecute](#) x [Execute \(commandbarcontrol\)](#) x [Execute \(dialog\)](#) x [Execute \(query\)](#) x [GetProperty](#) x [GetRows](#) x [hasProperty](#) x [Move](#) x [Move \(recordset\)](#) x [OpenConnection](#) x [OpenDatabase](#) x [OpenRecordset](#) x [OptionGroup \(Method\)](#) x [ReadAllBytes](#) x [ReadAllText](#) x [Refresh](#) x [Remove](#) x [RemoveAll](#) x [RemoveItem](#) x [Requery](#) x

Requery

The *Requery* method updates the data underlying a specified control that's on the active form by requerying the source of data for the control.

tags:
[Methods](#)

If the target is a **Form** and the source is a *Parameter Query* the parameters are re-asked to the user.

Applies to ...

Object	Description
Form	The representation of an <i>OpenOffice/LibreOffice</i> database form.
SubForm	A subset of the Controls present in a Form.
ComboBox	A combobox control.
ListBox	A listbox control.

Syntax

form.Requery

subform.Requery

control.Requery

Remarks

If the targeted object is a Form or a SubForm the *Requery* method resets the current record to the first available in the record set.

Error messages

See also

[Filter](#)

[FilterOn](#)

[RecordSource](#)

[Refresh](#)

[RowSource](#)

Example

Reload the content of a combo box after a database change

```

Dim ofForm As Object, ocCombo As Object
    Set ofForm = Forms("myForm")
    Set ocCombo = ofForm.Controls("myComboBox")
    ocCombo.Requery
  
```

